

DISPOMEDIC SOAP SOLUTION

Povidone-Iodine Solution at 7.5%

Recommended antiseptic soap for hand washing in all areas where disinfection is required.

PRODUCT INFORMATION

INDICATIONS: Antiseptic soap for hand washing in all areas where disinfection is required

COMPOSITION: Soap with Povidone-Iodine at 7.5%. Polyvinylpyrrolidone-Iodine at 7.5% (0.75% available iodine). Sodium Laureth Sulfate at 1.3%. Excipients qsp 100%

PHYSICAL PROPERTIES

Appearance: Liquid with no suspended particles

Available iodine (%): 0.75± 0.3

Density (g/ml): 1.020± 0.02

Colour: brownish-yellow

pH: 4.5 ± 1.5

Solubility: water and alcohol soluble



HOW TO USE

Use a small amount of the product by rubbing until foam is obtained for 2-5 minutes. Rinse abundantly with water or sterile gauze impregnated with water.

EFICACY

BACTERICIDE

UNE-EN 13727:2012+A1 Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of bactericidal activity in the medical area - Time: 1 and 5 minutes in the medical area under dirty conditions.

UNE-EN 12791:2006 Chemical disinfectants and antiseptics - Surgical hand disinfection - Time: 5 minutes under real conditions of surgical use on microorganisms present on the hands of volunteers.

UNE-EN 1499:1997 chemical disinfectants and antiseptics. Hygienic hand wash. Test method and requirements (phase 2 / step 2).

LEVURICIDE

UNE-EN 13624:2014 Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of fungicidal or yeasticidal activity in the medical area - Time: 1 and 5 minutes on medical instruments in dirty conditions.

UNE-EN 1650:2008 Chemical disinfectants and antiseptics - Quantitative suspension test for the evaluation of fungicidal or yeasticidal activity of chemical disinfectants and antiseptics used in food, industrial, domestic and institutional areas - Test method and requirements (phase 2, step 1)

MICROBIOLOGY STUDIES

Parameter	Tolerance	Units
Total aerobic org.	< 100	CFU/ml
Moulds & yeasts	< 100	CFU/ml
<i>P. aeruginosa</i>	Absence in 1g o ml	CFU/ml

Parámetro	Tolerancia	Unidades
<i>S. aureus</i>	Ausencia en 1g o ml	CFU/ml
<i>E. coli</i>	Ausencia en 1g o ml	CFU/ml
<i>C. albicans</i>	Ausencia en 1g o ml	CFU/ml

WARNINGS

Causes serious eye irritation. Harmful to aquatic organisms, with long-lasting harmful effects. Do not swallow. External use only. Avoid contact with the eyes, mucous membranes and sensitive skin areas. If the product comes into contact with the eyes, rinse carefully with water for several minutes. Remove contact lenses, if worn and is easy to do. Continue rinsing. Do not use with mercury-based substances. Do not use on people sensitive to the components or in extended areas of the skin or for a prolonged period of time. Do not mix with other products. Do not use on people with thyroid problems. Keep out of the reach of children and away from food and beverages. Do not use on new-borns or women who are pregnant or nursing. Use with caution on children under 2. In the rare case that it produces skin irritation or allergies, stop using it. In the event of intoxication or accidental ingestion, call the Toxicology Information Service. Tel.: +34 91 562 04 20. Follow all instructions for use to prevent any risks for people or the environment.

STORAGE

Do not expose to temperatures exceeding 30 °C. Store in a dry place. Protect from sunlight.

PRESENTATION				
REFERENCE	DESCRIPTION	UNITS / BOX	BOX MEASUREMENTS (cm)	BOX WEIGHT* (kg)
DPM0500	DISPOMEDIC SOAP SOLUTION 500 ml (7.5%)	12	29x22x22.5	6.4
DPM1000	DISPOMEDIC SOAP SOLUTION 1000 ml (7.5%)	8	35x18x26	8.5

* TOLERANCE: Weight ± 0.5 Kg

AEMPS Reg. No.: 405-DES Biocide main group PT1
 Certified company by ISO 9001.

